

TECHNICAL SPECIFICATION

LED Lamp - LEDT25



Technical data

- Nominal voltage: 230V/50Hz
- Power: 1W
- Colour temperature: 2700K; 4000K
- LED type: SMD2835
- Light source: Epistar Taiwan
- Base: E14
- Beam Angle: 180°
- Colour rendering index: Ra≥80
- Average Lifetime: 30 000h
- Switch on/off > 20000


Product benefits

- Lower maintenance cost thanks to longer lifetime
- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Instant-on light.

Areas of application


- Domestic application

Variants and dimensions



Watt	Colour	LED chip lumens (lm) / LED(pcs)	LED lamp lumens (lm)	Colour temp. (K)	Size (mm)		Catalogue number	Packing (pcs)
					Length	Diameter		
1W	white	25/16	90	4000	63	25	99LED445	500
1W	warm white	25/16	90	2700	63	25	99LED446	500

Energy efficiency



Barcodes

Barcode	Catalogue number
3800131178800	99LED445
3800131178817	99LED446

Standards

EN 55015

EN 61000-3-2; EN 61000-3-3; EN 61000-4-2; EN 61000-4-4; EN 61000-4-5; EN 61000-4-8; EN 61000-4-11

EN 61547

EN 62560

